

# Cultural Choice Giliian Bathroom Gel Bleach

**ACCO Brands Australia Pty Ltd** 

Version No: 1.0 Safety Data Sheet according to WHS and ADG requirements

Issue Date: 31/07/2023 S.GHS.AUS.EN

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

| Product Identifier            |   |  |
|-------------------------------|---|--|
| Product name                  | Cultural Choice Giliian Bathroom Gel Bleach |  |
| Synonyms                      | nyms Not Available                          |  |
| Other means of identification | 5L - 632020700CUL 1L - 632020500CUL         |  |

#### Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | Disinfection |
|--------------------------|--------------|
|                          |              |

#### Details of the supplier of the safety data sheet

| Dotaile | of the | distributor | of the | cafaty | data | chaat |
|---------|--------|-------------|--------|--------|------|-------|
|         |        |             |        |        |      |       |

| Registered company name | ACCO Brands Australia Pty Ltd                        | Registered company name | Cultural Choice                            |
|-------------------------|--|-------------------------|--|
| Address                 | 17-19 Waterloo Street, Queanbeyan 2620 NSW Australia | Address                 | Unit 7, 1 Reliance Drive Tuggerah NSW 2259 |
| Telephone               | +61-2-61328200                                       | Telephone               | 1300 784 214                               |
| Fax                     | +61-2-62844556                                       | Fax                     | Not Available                              |
| Website                 | www.accobrands.com.au                                | Website                 | https://culturalchoice.com/                |
| Email                   | sds.anz@acco.com                                     | Email                   | customersupport@culturalchoice.com.au      |

#### **Emergency telephone number**

| Association / Organisation Poisons Information Line |                                   | Poisons Information Line |
|---|-----------------------------------|--------------------------|
|   | Emergency telephone numbers       | 13 11 26                 |
|   | Other emergency telephone numbers | Not Available            |

## **SECTION 2 HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

## HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

| Poisons Schedule              | 5   |  |
|-------------------------------|---|--|
| Classification <sup>[1]</sup> | Skin Corrosion/Irritation Category 1B, Serious Eye Damage Category 1, Acute Aquatic Hazard Category 2, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation) |  |
| Legend:                       | 1. Classified by Chemwatch; 2. Classification drawn from HSIS; 3. Classification drawn from EC Directive 1272/2008 - Annex VI   |  |

#### Label elements

GHS label elements



SIGNAL WORD DAN

DANGER

#### Hazard statement(s)

| H314 | Causes severe skin burns and eye damage. |
|------|--|
| H318 | Causes serious eye damage.               |
| H401 | Toxic to aquatic life                    |
| H335 | May cause respiratory irritation.        |

#### Precautionary statement(s) Prevention

| · · · · · · · · · · · · · · · · · · · |   |
|---------------------------------------|---|
| P101                                  | If medical advice is needed, have product container or label at hand. |
| P102                                  | Keep out of reach of children.  |

#### Bathroom Cleaner Antibacterial

| P103 | Read label before use.   |
|------|--|
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray.                           |
| P271 | Use only outdoors or in a well-ventilated area.                            |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P273 | Avoid release to the environment.  |

#### Precautionary statement(s) Response

| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.   |
|----------------|--|
| P303+P361+P353 | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.                       |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310           | Immediately call a POISON CENTER or doctor/physician.  |
| P363           | Wash contaminated clothing before reuse.   |
| P304+P340      | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.                                 |

#### Precautionary statement(s) Storage

| P405      | Store locked up.   |
|-----------|--|
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |

#### Precautionary statement(s) Disposal

| P501 | Dispose of contents/container in accordance with local regulations. |
|------|---|
|------|---|

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### Substances

See section below for composition of Mixtures

#### Mixtures

| CAS No    | %[weight] | Name                |
|-----------|-----------|---------------------|
| 7681-52-9 | <10       | sodium hypochlorite |
| 1310-73-2 | <10       | sodium hydroxide    |

## **SECTION 4 FIRST AID MEASURES**

## Description of first aid measures

| Description of first aid file |   |
|-------------------------------|---|
| Eye Contact                   | If this product comes in contact with the eyes:  Immediately hold eyelids apart and flush the eye continuously with running water.  Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.  Transport to hospital or doctor without delay.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.  |
| Skin Contact                  | If skin or hair contact occurs:  Immediately flush body and clothes with large amounts of water, using safety shower if available.  Quickly remove all contaminated clothing, including footwear.  Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre.  Transport to hospital, or doctor.  |
| Inhalation                    | <ul> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor, without delay.</li> </ul>  |
| Ingestion                     | <ul> <li>For advice, contact a Poisons Information Centre or a doctor at once.</li> <li>Urgent hospital treatment is likely to be needed.</li> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Transport to hospital or doctor without delay.</li> </ul> |

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

For acute or short-term repeated exposures to highly alkaline materials:

- ▶ Respiratory stress is uncommon but present occasionally because of soft tissue edema.
- ▶ Unless endotracheal intubation can be accomplished under direct vision, cricothyroidotomy or tracheotomy may be necessary.
- Oxygen is given as indicated.
- The presence of shock suggests perforation and mandates an intravenous line and fluid administration.
- Damage due to alkaline corrosives occurs by liquefaction necrosis whereby the saponification of fats and solubilisation of proteins allow deep penetration into the tissue.

Alkalis continue to cause damage after exposure.

INGESTION:

Version No: 1.0 Page 3 of 8 Issue Date: 31/07/2023

#### **Bathroom Cleaner Antibacterial**

Milk and water are the preferred diluents

No more than 2 glasses of water should be given to an adult.

- ▶ Neutralising agents should never be given since exothermic heat reaction may compound injury.
- \* Catharsis and emesis are absolutely contra-indicated.
- \* Activated charcoal does not absorb alkali.
- \* Gastric lavage should not be used.

- Supportive care involves the following:
- Withhold oral feedings initially. If endoscopy confirms transmucosal injury start steroids only within the first 48 hours.
- ▶ Carefully evaluate the amount of tissue necrosis before assessing the need for surgical intervention.
- Patients should be instructed to seek medical attention whenever they develop difficulty in swallowing (dysphagia).

SKIN AND EYE:

Injury should be irrigated for 20-30 minutes.

Eye injuries require saline. [Ellenhorn & Barceloux: Medical Toxicology]

#### **SECTION 5 FIREFIGHTING MEASURES**

#### Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area

#### Special hazards arising from the substrate or mixture

| Fire Incompatibility    | None known.  |  |
|-------------------------|--|--|
| Advice for firefighters |  |  |
| Fire Fighting           | <ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use fire fighting procedures suitable for surrounding area.</li> <li>DO NOT approach containers suspected to be hot.</li> <li>Cool fire exposed containers with water spray from a protected location.</li> <li>If safe to do so, remove containers from path of fire.</li> <li>Equipment should be thoroughly decontaminated after use.</li> </ul> |  |
| Fire/Explosion Hazard   | <ul> <li>Non combustible.</li> <li>Not considered a significant fire risk, however containers may burn.</li> <li>May emit poisonous fumes. May emit corrosive fumes.</li> </ul>  |  |

#### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

| Personal precautions, pro | tective equipment and emergency procedures   |
|---------------------------|--|
| Minor Spills              | <ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> <li>Wipe up.</li> <li>Place in a suitable, labelled container for waste disposal.</li> </ul>                             |
| Major Spills              | Moderate hazard.  Clear area of personnel and move upwind.  Alert Fire Brigade and tell them location and nature of hazard.  Wear breathing apparatus plus protective gloves.  Prevent, by any means available, spillage from entering drains or water course.  Stop leak if safe to do so.  Contain spill with sand, earth or vermiculite.  Collect recoverable product into labelled containers for recycling. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 HANDLING AND STORAGE**

## Precautions for safe handling

Avoid all personal contact, including inhalation.

▶ Wear protective clothing when risk of exposure occurs.

▶ Use in a well-ventilated area.

Prevent concentration in hollows and sumps.

▶ DO NOT enter confined spaces until atmosphere has been checked.

▶ DO NOT allow material to contact humans, exposed food or food utensils.

Avoid contact with incompatible materials.

▶ When handling, **DO NOT** eat, drink or smoke

## Other information

Safe handling

## Conditions for safe storage, including any incompatibilities

#### Polyethylene or polypropylene container. Suitable container Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks Avoid contact with copper, aluminium and their alloys. Storage incompatibility Avoid strong acids, acid chlorides, acid anhydrides and chloroformates.

#### SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

#### OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### INGREDIENT DATA

| Source                       | Ingredient       | Material name    | TWA           | STEL          | Peak    | Notes         |
|------------------------------|------------------|------------------|---------------|---------------|---------|---------------|
| Australia Exposure Standards | sodium hydroxide | Sodium hydroxide | Not Available | Not Available | 2 mg/m3 | Not Available |

#### **EMERGENCY LIMITS**

| Ingredient          | Material name                    | TEEL-1        | TEEL-2        | TEEL-3        |
|---------------------|----------------------------------|---------------|---------------|---------------|
| sodium hypochlorite | Sodium hypochlorite pentahydrate | 4.6 mg/m3     | 51 mg/m3      | 290 mg/m3     |
| sodium hypochlorite | Sodium hypochlorite              | 2 mg/m3       | 20 mg/m3      | 630 mg/m3     |
| sodium hydroxide    | Sodium hydroxide                 | Not Available | Not Available | Not Available |

| Ingredient          | Original IDLH | Revised IDLH  |
|---------------------|---------------|---------------|
| sodium hypochlorite | Not Available | Not Available |
| sodium hydroxide    | 250 mg/m3     | 10 mg/m3      |

#### **Exposure controls**

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Appropriate engineering controls

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.

Employers may need to use multiple types of controls to prevent employee overexposure.

Local exhaust ventilation usually required

## Personal protection











## Eye and face protection

- ▶ Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.
- Chemical goggles.whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted.
- Full face shield (20 cm, 8 in minimum) may be required for supplementary but never for primary protection of eyes; these afford face protection.
- Alternatively a gas mask may replace splash goggles and face shields.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available.

#### Skin protection

### See Hand protection below

## Hands/feet protection

- ► Elbow length PVC gloves
- When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.

#### Body protection

#### See Other protection below

#### . .

► Overalls.

#### Other protection

- P.V.C. apron.
- Barrier cream.Skin cleansing cream.
- Eye wash unit.

#### Thermal hazards

Not Available

## Recommended material(s)

#### GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computerqenerated* selection:

Bathroom Cleaner Antibacterial

| Material          | СРІ |
|-------------------|-----|
| NEOPRENE          | A   |
| BUTYL             | С   |
| NAT+NEOPR+NITRILE | С   |
| NATURAL RUBBER    | С   |
| NATURAL+NEOPRENE  | С   |
| NEOPRENE/NATURAL  | С   |

## Respiratory protection

Type B-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required.

Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

| Required Minimum<br>Protection Factor | Half-Face<br>Respirator | Full-Face<br>Respirator | Powered Air<br>Respirator  |
|---------------------------------------|-------------------------|-------------------------|----------------------------|
| up to 10 x ES                         | B-AUS P2                | -                       | B-PAPR-AUS /<br>Class 1 P2 |
| up to 50 x ES                         | -                       | B-AUS / Class 1<br>P2   | -                          |
| up to 100 x ES                        | -                       | B-2 P2                  | B-PAPR-2 P2 ^              |

Version No: **1.0** Page **5** of **8** Issue Date: 31/07/2023

#### Bathroom Cleaner Antibacterial

| NITRILE           | С |
|-------------------|---|
| NITRILE+PVC       | С |
| PE                | С |
| PE/EVAL/PE        | С |
| PVA               | С |
| PVC               | С |
| SARANEX-23        | С |
| SARANEX-23 2-PLY  | С |
| TEFLON            | С |
| VITON             | С |
| VITON/CHLOROBUTYL | С |

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

**NOTE**: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

#### **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

| Appearance                                   | Yellow liquid |   |               |
|--|---------------|---|---------------|
| Physical state                               | Liquid        | Relative density (Water = 1)            | 1.08-1.12     |
| Odour  | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold                              | Not Available | Auto-ignition temperature (°C)          | Not Available |
| pH (as supplied)                             | 12-14         | Decomposition temperature               | Not Available |
| Melting point / freezing point (°C)          | Not Available | Viscosity (cSt)                         | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol)                | Not Available |
| Flash point (°C)                             | Not Available | Taste                                   | Not Available |
| Evaporation rate                             | Not Available | Explosive properties                    | Not Available |
| Flammability                                 | Not Available | Oxidising properties                    | Not Available |
| Upper Explosive Limit (%)                    | Not Available | Surface Tension (dyn/cm or mN/m)        | Not Available |
| Lower Explosive Limit (%)                    | Not Available | Volatile Component (%vol)               | Not Available |
| Vapour pressure (kPa)                        | Not Available | Gas group                               | Not Available |
| Solubility in water (g/L)                    | Miscible      | pH as a solution (1%)                   | 10-12         |
| Vapour density (Air = 1)                     | Not Available | VOC g/L                                 | 0             |

#### **SECTION 10 STABILITY AND REACTIVITY**

| Reactivity                         | See section 7  |
|------------------------------------|--|
| Chemical stability                 | <ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul> |
| Possibility of hazardous reactions | See section 7  |
| Conditions to avoid                | See section 7  |
| Incompatible materials             | See section 7  |
| Hazardous decomposition products   | See section 5  |

### **SECTION 11 TOXICOLOGICAL INFORMATION**

#### Information on toxicological effects

Inhaled

The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhaling corrosive bases may irritate the respiratory tract. Symptoms include cough, choking, pain and damage to the mucous membrane. Not normally a hazard due to non-volatile nature of product

The material has NOT been classified by EC Directives or other classification systems as "harmful by inhalation". This is because of the lack of corroborating

<sup>\*</sup> CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

<sup>\*</sup> Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

## **Bathroom Cleaner Antibacterial**

|                                   | animal or human evidence.  |   |  |
|-----------------------------------|--|---|--|
| Ingestion                         | Ingestion of alkaline corrosives may produce burns around the mouth, ulcerations and swellings of the mucous membranes, profuse saliva production, with an inability to speak or swallow. Both the oesophagus and stomach may experience burning pain; vomiting and diarrhoea may follow.  The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.   |   |  |
| Skin Contact                      | The material can produce severe chemical burns following direct contact with the skin.  Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions.  Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.  This material can cause inflammation of the skin on contact in some persons.   |   |  |
| Еуе                               | If applied to the eyes, this material causes severe eye damage.  Direct eye contact with corrosive bases can cause pain and burns. There may be swelling, epithelium destruction, clouding of the cornea and inflammation of the iris. Mild cases often resolve; severe cases can be prolonged with complications such as persistent swelling, scarring, permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball and blindness.  |   |  |
| Chronic                           | Repeated or prolonged exposure to corrosives may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue.  Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems.  Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.  There has been some concern that this material can cause cancer or mutations but there is not enough data to make an assessment.  |   |  |
|                                   |  |   |  |
| Bathroom Cleaner                  | TOXICITY  Not Available  |   | IRRITATION Not Available   |
| Antibacterial                     | Not Available  |   | Not Available  |
|                                   |  |   |  |
|                                   | TOXICITY   |   | IRRITATION   |
| sodium hypochlorite               | Dermal (rabbit) LD50: >10000 mg/kg <sup>[1]</sup>  |   | Eye (rabbit): 10 mg - moderate   |
|                                   | Oral (rat) LD50: >237 mg/kg <sup>[1]</sup>   |   | Eye (rabbit): 100 mg - moderate  |
|                                   |  |   | Skin (rabbit): 500 mg/24h-moderate   |
|                                   | TOXICITY IRRITATION  |   |  |
|                                   | Oral (rabbit) LD50: 325 mg/kg <sup>[1]</sup>   | Eve (   | rabbit): 0.05 mg/24h SEVERE  |
| sodium hydroxide                  | Crair (rabbit) 2500. 020 mg/kg   |   | rabbit):1 mg/24h SEVERE  |
| ·                                 |  |   | rabbit):1 mg/30s rinsed-SEVERE   |
|                                   | Skin (rabbit): 500 mg/24h SEVERE   |   |  |
|                                   |  | '   |  |
| Legend:                           | Value obtained from Europe ECHA Registered Substant<br>extracted from RTECS - Register of Toxic Effect of chemical structures.   |   | Value obtained from manufacturer's SDS. Unless otherwise specified data  |
| Bathroom Cleaner<br>Antibacterial | reactive airways dysfunction syndrome (RADS) which car<br>of RADS include the absence of preceding respiratory dise<br>to hours of a documented exposure to the irritant. A revers<br>on methacholine challenge testing and the lack of minimal<br>of RADS. RADS (or asthma) following an irritating inhalati<br>irritating substance. Industrial bronchitis, on the other han-  | n occur following expo<br>ease, in a non-atopic in<br>ible airflow pattern, on<br>lymphocytic inflamma<br>ion is an infrequent dis<br>id, is a disorder that ou | the material ceases. This may be due to a non-allergenic condition known as sure to high levels of highly irritating compound. Key criteria for the diagnosis individual, with abrupt onset of persistent asthma-like symptoms within minutes spirometry, with the presence of moderate to severe bronchial hyperreactivity tion, without eosinophilia, have also been included in the criteria for diagnosis order with rates related to the concentration of and duration of exposure to the scurs as result of exposure due to high concentrations of irritating substance. The disorder is characterised by dyspnea, cough and mucus production. |
| SODIUM HYPOCHLORITE               | Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production. Hypochlorite salts are classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans.  Evidence of carcinogenicity may be inadequate or limited in animal testing.  The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. Hypochlorite salts are extremely corrosive and can cause severe damage to the eyes and skin. A number of skin cancers have been observed in mice, when applied to their skin. as sodium hypochlorite pentahydrate |   |  |
| SODIUM HYDROXIDE                  | The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.  The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Repeated exposures may produce severe ulceration.  Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis   |   |  |

Version No: **1.0** Page **7** of **8** Issue Date: 31/07/2023

#### **Bathroom Cleaner Antibacterial**

of RADS. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production.

| Acute Toxicity                    | 0        | Carcinogenicity          | 0 |
|-----------------------------------|----------|--------------------------|---|
| Skin Irritation/Corrosion         | ✓        | Reproductivity           | 0 |
| Serious Eye<br>Damage/Irritation  | <b>~</b> | STOT - Single Exposure   | 0 |
| Respiratory or Skin sensitisation | 0        | STOT - Repeated Exposure | 0 |
| Mutagenicity                      | 0        | Aspiration Hazard        | 0 |

Legend:

🗶 – Data available but does not fill the criteria for classification

✓ – Data required to make classification available

Data Not Available to make classification

#### **SECTION 12 ECOLOGICAL INFORMATION**

#### Toxicity

| Ingredient          | Endpoint         | Test Duration (hr)                | Species                                   | Value                               | Source              |
|---------------------|------------------|-----------------------------------|---|-------------------------------------|---------------------|
| sodium hypochlorite | EC50             | 0.08                              | Crustacea                                 | 0.002mg/L                           | 4                   |
| sodium hypochlorite | LC50             | 96                                | Fish                                      | 0.032mg/L                           | 4                   |
| sodium hypochlorite | EC50             | 48                                | Crustacea                                 | 0.026mg/L                           | 2                   |
| sodium hypochlorite | EC50             | 72                                | Algae or other aquatic plants             | 0.0183mg/L                          | 2                   |
| sodium hypochlorite | NOEC             | 72                                | Algae or other aquatic plants             | 0.0054mg/L                          | 2                   |
| sodium hydroxide    | EC50             | 384                               | Crustacea                                 | 27901.643mg/L                       | 3                   |
| sodium hydroxide    | EC50             | 96                                | Algae or other aquatic plants             | 1034.10043mg/L                      | 3                   |
| sodium hydroxide    | LC50             | 96                                | Fish                                      | 4.16158mg/L                         | 3                   |
| sodium hydroxide    | NOEC             | 96                                | Fish                                      | 56mg/L                              | 4                   |
| sodium hydroxide    | EC50             | 48                                | Crustacea                                 | 40.4mg/L                            | 2                   |
|                     | Extracted from 1 | ILICLID Toxicity Data 2 Furone FC | HA Registered Substances - Ecotoxicologic | al Information - Aquatic Toxicity 3 | FPIWINI Suito V3 12 |

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

#### DO NOT discharge into sewer or waterways.

#### Persistence and degradability

| Ingredient       | Persistence: Water/Soil | Persistence: Air |
|------------------|-------------------------|------------------|
| sodium hydroxide | LOW                     | LOW              |

## **Bioaccumulative potential**

| Ingredient       | Bioaccumulation        |
|------------------|------------------------|
| sodium hydroxide | LOW (LogKOW = -3.8796) |

## Mobility in soil

| Ingredient       | Mobility         |
|------------------|------------------|
| sodium hydroxide | LOW (KOC = 14.3) |

## **SECTION 13 DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

► Recycle wherever possible.

Product / Packaging disposal

- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility
  can be identified.
- Treat and neutralise at an approved treatment plant.
- ► Treatment should involve: Neutralisation with suitable dilute acid followed by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or Incineration in a licenced apparatus (after admixture with suitable combustible material).
- $\blacksquare \ \ \, \text{Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.} \\$

#### **SECTION 14 TRANSPORT INFORMATION**

## Labels Required

| Marine Pollutant | NO             |
|------------------|----------------|
| HAZCHEM          | Not Applicable |

#### Bathroom Cleaner Antibacterial

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

#### **SECTION 15 REGULATORY INFORMATION**

Safety, health and environmental regulations / legislation specific for the substance or mixture

#### SODIUM HYPOCHLORITE(7681-52-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Substances Information System - Consolidated Lists Australia Inventory of Chemical Substances (AICS)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

#### SODIUM HYDROXIDE(1310-73-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Exposure Standards Australia Inventory of Chemical Substances (AICS)

Australia Hazardous Substances Information System - Consolidated Lists

| National Inventory               | Status  |
|----------------------------------|---|
| Australia - AICS                 | Y   |
| Canada - DSL                     | Y   |
| Canada - NDSL                    | N (sodium hypochlorite; sodium hydroxide)   |
| China - IECSC                    | Υ   |
| Europe - EINEC / ELINCS /<br>NLP | Y   |
| Japan - ENCS                     | Υ   |
| Korea - KECI                     | Υ   |
| New Zealand - NZIoC              | Υ   |
| Philippines - PICCS              | Υ   |
| USA - TSCA                       | Υ   |
| Legend:                          | Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) |

#### **SECTION 16 OTHER INFORMATION**

## Other information

#### Ingredients with multiple cas numbers

| Name                | CAS No                |
|---------------------|-----------------------|
| sodium hypochlorite | 10022-70-5, 7681-52-9 |
| sodium hydroxide    | 12200-64-5, 1310-73-2 |

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

 ${\sf PC-STEL} : {\sf Permissible Concentration-Short Term Exposure Limit}$ 

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit $_{\circ}$ 

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

#### This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.